



# RoadFlair – Sleek and superior Beyond anticipation

## RoadFlair

Designed for major and city roads, Philips RoadFlair is a new and exciting product set to brighten your streets beyond imagination. Smartly-designed to bring cities the highest savings possible with best-in-class lumen per watt, this road lighting production comes at a competitive price bound to excite. Philips RoadFlair brings energy efficiency, improves a city's sustainability drive and delivers significant cost reduction in urban environments. The right road luminaire coupled with the right lighting application will create the best environment for your municipality, benefiting local communities and boosting tourism and businesses.

### Benefits

- High lumen efficacy 120 to 140 lumen per watt – much higher than currently available solutions
- Unique functional design Sleek, light-weight and well-designed luminaire
- Control and dimming ready Supports CityTouch connect application, 7-Pin Nema socket and standard outdoor dimming protocols
- Value for money Most competitive product in its segment Perfect for renovation, upgrading projects
- Best-in-class LED lighting technology at an unmatched, competitive price
- Equipped with Service tag, a QR-based identification system that makes each luminaire uniquely identifiable and provides maintenance, installation and spare part information


## Features

- Excellent thermal management operating Temperature -40 to 50C
- Exposed Optic - Transparent and weather resistant grade polycarbonate optics
- Multiple optic - Options to meet all road and street lighting application requirements
- Lightweight housing design
- Available in 3000K, 4000K, 5000K and 5700K CCT options
- 10kV or 15kV Surge protection Device

## Application


- Pedestrian Road
- Highway Road
- Residential Road
- Interchange

## Versions




RoadFlair BRP394 DM

## Dimensional drawing



Dimensional drawing



Product details

BRP393 back



**General Information**

CE mark	CE mark
Driver included	Yes

**Light Technical**

Color rendering index (CRI)	>70
Standard tilt angle side entry	-
Standard tilt angle posttop	-

**Mechanical and Housing**

Housing Color	Gray
---------------	------

**Approval and Application**

Mech. impact protection code	IK08
Ingress protection code	IP66

**General Information**

Order Code	Full Product Name	Flammability mark	Light source replaceable
911401667506	BRP391 LED23/NW 16W DWP PSD P7 ANZ	For mounting on normally flammable surfaces	-
911401667606	BRP391 LED36/NW 25W DWP3 PSD P7 ANZ	For mounting on normally flammable surfaces	-
911401667706	BRP391 LED65/NW 46W DWV PSD P7 ANZ	For mounting on normally flammable surfaces	-
911401667806	BRP391 LED104/NW 74W DWV PSD P7 ANZ	For mounting on normally flammable surfaces	-
911401861398	BRP390 LED81/NW 57W 220-240V DM	For mounting on normally flammable surfaces	No
911401861498	BRP390 LED74/NW 52W 220-240V DM	For mounting on normally flammable surfaces	No
911401861598	BRP390 LED68/NW 48W 220-240V DM	For mounting on normally flammable surfaces	No
911401861698	BRP390 LED62/NW 46W 220-240V DM	For mounting on normally flammable surfaces	No
911401861798	BRP390 LED56/NW 41W 220-240V DM	For mounting on normally flammable surfaces	No
911401861898	BRP390 LED50/NW 36W 220-240V DM	For mounting on normally flammable surfaces	No
911401861998	BRP391 LED112/NW 80W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401862098	BRP391 LED105/NW 75W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401862198	BRP391 LED100/NW 70W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401862298	BRP391 LED93/NW 67W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401862398	BRP391 LED87/NW 63W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401865198	BRP390 LED76/WW 57W 220-240V DM	For mounting on normally flammable surfaces	No
911401865298	BRP390 LED70/WW 52W 220-240V DM	For mounting on normally flammable surfaces	No
911401865398	BRP390 LED64/WW 48W 220-240V DM	For mounting on normally flammable surfaces	No
911401865598	BRP390 LED52/WW 41W 220-240V DM	For mounting on normally flammable surfaces	No
911401865698	BRP390 LED46/WW 36W 220-240V DM	For mounting on normally flammable surfaces	No
911401865798	BRP391 LED105/WW 80W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401865998	BRP391 LED93/WW 70W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401866198	BRP391 LED81/WW 63W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401862498	BRP392 LED224/NW 158W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401862598	BRP392 LED212/NW 150W 220-240V DM PSR	For mounting on normally flammable surfaces	No

Order Code	Full Product Name	Flammability mark	Light source replaceable
911401862698	BRP392 LED200/NW 138W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401862798	BRP392 LED186/NW 130W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401862898	BRP392 LED174/NW 121W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401862998	BRP392 LED161/NW 113W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401863098	BRP392 LED150/NW 104W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401863198	BRP392 LED136/NW 96W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401863298	BRP392 LED124/NW 88W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401863398	BRP393 LED323/NW 225W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401863698	BRP393 LED286/NW 200W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401863898	BRP393 LED261/NW 183W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401863998	BRP393 LED248/NW 174W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401864098	BRP393 LED236/NW 166W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401866298	BRP392 LED210/WW 158W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401866398	BRP392 LED200/WW 150W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401866498	BRP392 LED186/WW 138W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401866698	BRP392 LED163/WW 121W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401866798	BRP392 LED151/WW 113W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401866898	BRP392 LED140/WW 104W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401866998	BRP392 LED128/WW 96W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401867098	BRP392 LED116/WW 88W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401867198	BRP393 LED303/WW 225W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401867898	BRP393 LED221/WW 166W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401864198	BRP394 LED449/NW 316W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401864398	BRP394 LED424/NW 300W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401864698	BRP394 LED385/NW 268W 220-240V DM PSR	For mounting on normally flammable surfaces	No

Order Code	Full Product Name	Flammability mark	Light source replaceable
911401864898	BRP394 LED360/NW 251W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401867998	BRP394 LED421/WW 316W 220-240V DM PSR	For mounting on normally flammable surfaces	No
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	-	-
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	-	-
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	-	-
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	-	-

Light Technical

Order Code	Full Product Name	Light source color	Correlated		
			Temperature (Nom)	Optical cover/ lens type	Luminous Flux
911401667506	BRP391 LED23/NW 16W DWP PSD P7 ANZ	740 neutral white	4000 K	Polycarbonate	2,300 lumen
911401667606	BRP391 LED36/NW 25W DWP3 PSD P7 ANZ	740 neutral white	4000 K	Polycarbonate	3,600 lumen
911401667706	BRP391 LED65/NW 46W DWV PSD P7 ANZ	740 neutral white	4000 K	Polycarbonate	6,500 lumen
911401667806	BRP391 LED104/NW 74W DWV PSD P7 ANZ	740 neutral white	4000 K	Polycarbonate	10,400 lumen
911401861398	BRP390 LED81/NW 57W 220-240V DM	740 neutral white	4000 K	Polycarbonate micro lens optic	8,123 lumen
911401861498	BRP390 LED74/NW 52W 220-240V DM	740 neutral white	4000 K	Polycarbonate micro lens optic	7,498 lumen
911401861598	BRP390 LED68/NW 48W 220-240V DM	740 neutral white	4000 K	Polycarbonate micro lens optic	6,874 lumen
911401861698	BRP390 LED62/NW 46W 220-240V DM	740 neutral white	4000 K	Polycarbonate micro lens optic	6,249 lumen

Order Code	Full Product Name	Light source color	Correlated		
			Temperature (Nom)	Optical cover/ lens type	Luminous Flux
911401861798	BRP390 LED56/NW 41W 220-240V DM	740 neutral white	4000 K	Polycarbonate micro lens optic	5,624 lumen
911401861898	BRP390 LED50/NW 36W 220-240V DM	740 neutral white	4000 K	Polycarbonate micro lens optic	4,999 lumen
911401861998	BRP391 LED112/NW 80W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	11,201 lumen
911401862098	BRP391 LED105/NW 75W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	10,579 lumen
911401862198	BRP391 LED100/NW 70W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	9,957 lumen
911401862298	BRP391 LED93/NW 67W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	9,334 lumen
911401862398	BRP391 LED87/NW 63W	740 neutral white	4000 K	Polycarbonate micro lens optic	8,712 lumen

Order Code	Full Product Name	Light source color	Correlated Color			Luminous Flux
			Temperature (Nom)	Optical cover/ lens type		
	220-240V DM PSR					
911401865198	BRP390 LED76/WW 57W 220-240V DM	730 warm white	3000 K	Polycarbonate micro lens optic	7,615 lumen	
911401865298	BRP390 LED70/WW 52W 220-240V DM	730 warm white	3000 K	Polycarbonate micro lens optic	7,030 lumen	
911401865398	BRP390 LED64/WW 48W 220-240V DM	730 warm white	3000 K	Polycarbonate micro lens optic	6,444 lumen	
911401865598	BRP390 LED52/WW 41W 220-240V DM	730 warm white	3000 K	Polycarbonate micro lens optic	5,272 lumen	
911401865698	BRP390 LED46/WW 36W 220-240V DM	730 warm white	3000 K	Polycarbonate micro lens optic	4,687 lumen	
911401865798	BRP391 LED105/WW 80W 220-240V DM PSR	730 warm white	3000 K	Polycarbonate micro lens optic	10,501 lumen	
911401865998	BRP391 LED93/WW 70W 220-240V DM PSR	730 warm white	3000 K	Polycarbonate micro lens optic	9,335 lumen	
911401866198	BRP391 LED81/WW 63W 220-240V DM PSR	730 warm white	3000 K	Polycarbonate micro lens optic	8,167 lumen	
911401862498	BRP392 LED224/NW 158W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	22,495 lumen	
911401862598	BRP392 LED212/NW 150W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	21,246 lumen	

Order Code	Full Product Name	Light source color	Correlated Color			Luminous Flux
			Temperature (Nom)	Optical cover/ lens type		
911401862698	BRP392 LED200/NW 138W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	19,914 lumen	
911401862798	BRP392 LED186/NW 130W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	18,669 lumen	
911401862898	BRP392 LED174/NW 121W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	17,425 lumen	
911401862998	BRP392 LED161/NW 113W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	16,179 lumen	
911401863098	BRP392 LED150/NW 104W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	14,935 lumen	
911401863198	BRP392 LED136/NW 96W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	13,690 lumen	
911401863298	BRP392 LED124/NW 88W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	12,446 lumen	
911401863398	BRP393 LED323/NW 225W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	32,360 lumen	
911401863698	BRP393 LED286/NW 200W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	28,626 lumen	
911401863898	BRP393 LED261/NW 183W 220-240V DM PSR	740 neutral white	4000 K	Polycarbonate micro lens optic	26,136 lumen	

Order Code	Full Product Name	Light source color	Correlated Color		
			Temperature (Nom)	Optical cover/ lens type	Luminous Flux
	220-240V DM PSR				
911401863998	BRP393 LED248/NW 174W	740 neutral white	4000 K	Polycarbonate micro lens optic	24,892 lumen
	220-240V DM PSR				
911401864098	BRP393 LED236/NW 166W	740 neutral white	4000 K	Polycarbonate micro lens optic	23,647 lumen
	220-240V DM PSR				
911401866298	BRP392 LED210/WW 158W	730 warm white	3000 K	Polycarbonate micro lens optic	21,089 lumen
	220-240V DM PSR				
911401866398	BRP392 LED200/WW 150W	730 warm white	3000 K	Polycarbonate micro lens optic	19,918 lumen
	220-240V DM PSR				
911401866498	BRP392 LED186/WW 138W	730 warm white	3000 K	Polycarbonate micro lens optic	18,669 lumen
	220-240V DM PSR				
911401866698	BRP392 LED163/WW 121W	730 warm white	3000 K	Polycarbonate micro lens optic	16,336 lumen
	220-240V DM PSR				
911401866798	BRP392 LED151/WW 113W	730 warm white	3000 K	Polycarbonate micro lens optic	15,168 lumen
	220-240V DM PSR				
911401866898	BRP392 LED140/WW 104W	730 warm white	3000 K	Polycarbonate micro lens optic	14,002 lumen
	220-240V DM PSR				
911401866998	BRP392 LED128/WW 96W	730 warm white	3000 K	Polycarbonate micro lens optic	12,835 lumen
	220-240V DM PSR				

Order Code	Full Product Name	Light source color	Correlated Color		
			Temperature (Nom)	Optical cover/ lens type	Luminous Flux
911401867098	BRP392 LED116/WW 88W	730 warm white	3000 K	Polycarbonate micro lens optic	11,668 lumen
	220-240V DM PSR				
911401867198	BRP393 LED303/WW 225W	730 warm white	3000 K	Polycarbonate micro lens optic	30,338 lumen
	220-240V DM PSR				
911401867898	BRP393 LED221/WW 166W	730 warm white	3000 K	Polycarbonate micro lens optic	22,169 lumen
	220-240V DM PSR				
911401864198	BRP394 LED449/NW 316W	740 neutral white	4000 K	Polycarbonate micro lens optic	44,991 lumen
	220-240V DM PSR				
911401864398	BRP394 LED424/NW 300W	740 neutral white	4000 K	Polycarbonate micro lens optic	42,492 lumen
	220-240V DM PSR				
911401864698	BRP394 LED385/NW 268W	740 neutral white	4000 K	Polycarbonate micro lens optic	38,583 lumen
	220-240V DM PSR				
911401864898	BRP394 LED360/NW 251W	740 neutral white	4000 K	Polycarbonate micro lens optic	36,093 lumen
	220-240V DM PSR				
911401867998	BRP394 LED421/WW 316W	730 warm white	3000 K	Polycarbonate micro lens optic	42,179 lumen
	220-240V DM PSR				
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	Neutral white	4000 K	Clear dome	7,300 lumen
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	Neutral white	4000 K	Clear dome	10,700 lumen



Order Code	Full Product Name	Light source color	Correlated Color		
			Temperature (Nom)	Optical cover/ lens type	Luminous Flux
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	Neutral white	4000 K	Clear dome	20,100 lumen

Order Code	Full Product Name	Light source color	Correlated Color		
			Temperature (Nom)	Optical cover/ lens type	Luminous Flux
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	Neutral white	4000 K	Clear dome	30,500 lumen

### Operating and Electrical

Order Code	Full Product Name	Power Consumption
911401667506	BRP391 LED23/NW 16W DWP PSD P7 ANZ	16 W
911401667606	BRP391 LED36/NW 25W DWP3 PSD P7 ANZ	25 W
911401667706	BRP391 LED65/NW 46W DWV PSD P7 ANZ	46 W
911401667806	BRP391 LED104/NW 74W DWV PSD P7 ANZ	74 W
911401861398	BRP390 LED81/NW 57W 220-240V DM	57 W
911401861498	BRP390 LED74/NW 52W 220-240V DM	52 W
911401861598	BRP390 LED68/NW 48W 220-240V DM	48 W
911401861698	BRP390 LED62/NW 46W 220-240V DM	46 W
911401861798	BRP390 LED56/NW 41W 220-240V DM	41 W
911401861898	BRP390 LED50/NW 36W 220-240V DM	36 W
911401861998	BRP391 LED112/NW 80W 220-240V DM PSR	80 W
911401862098	BRP391 LED105/NW 75W 220-240V DM PSR	75 W
911401862198	BRP391 LED100/NW 70W 220-240V DM PSR	70 W
911401862298	BRP391 LED93/NW 67W 220-240V DM PSR	67 W
911401862398	BRP391 LED87/NW 63W 220-240V DM PSR	63 W
911401865198	BRP390 LED76/WW 57W 220-240V DM	57 W
911401865298	BRP390 LED70/WW 52W 220-240V DM	52 W
911401865398	BRP390 LED64/WW 48W 220-240V DM	48 W
911401865598	BRP390 LED52/WW 41W 220-240V DM	41 W
911401865698	BRP390 LED46/WW 36W 220-240V DM	36 W
911401865798	BRP391 LED105/WW 80W 220-240V DM PSR	80 W
911401865998	BRP391 LED93/WW 70W 220-240V DM PSR	70 W
911401866198	BRP391 LED81/WW 63W 220-240V DM PSR	63 W
911401862498	BRP392 LED224/NW 158W 220-240V DM PSR	158 W
911401862598	BRP392 LED212/NW 150W 220-240V DM PSR	150 W
911401862698	BRP392 LED200/NW 138W 220-240V DM PSR	138 W
911401862798	BRP392 LED186/NW 130W 220-240V DM PSR	130 W
911401862898	BRP392 LED174/NW 121W 220-240V DM PSR	121 W

Order Code	Full Product Name	Power Consumption
911401862998	BRP392 LED161/NW 113W 220-240V DM PSR	113 W
911401863098	BRP392 LED150/NW 104W 220-240V DM PSR	104 W
911401863198	BRP392 LED136/NW 96W 220-240V DM PSR	96 W
911401863298	BRP392 LED124/NW 88W 220-240V DM PSR	88 W
911401863398	BRP393 LED323/NW 225W 220-240V DM PSR	225 W
911401863698	BRP393 LED286/NW 200W 220-240V DM PSR	200 W
911401863898	BRP393 LED261/NW 183W 220-240V DM PSR	183 W
911401863998	BRP393 LED248/NW 174W 220-240V DM PSR	174 W
911401864098	BRP393 LED236/NW 166W 220-240V DM PSR	166 W
911401866298	BRP392 LED210/WW 158W 220-240V DM PSR	158 W
911401866398	BRP392 LED200/WW 150W 220-240V DM PSR	150 W
911401866498	BRP392 LED186/WW 138W 220-240V DM PSR	138 W
911401866698	BRP392 LED163/WW 121W 220-240V DM PSR	121 W
911401866798	BRP392 LED151/WW 113W 220-240V DM PSR	113 W
911401866898	BRP392 LED140/WW 104W 220-240V DM PSR	104 W
911401866998	BRP392 LED128/WW 96W 220-240V DM PSR	96 W
911401867098	BRP392 LED116/WW 88W 220-240V DM PSR	88 W
911401867198	BRP393 LED303/WW 225W 220-240V DM PSR	225 W
911401867898	BRP393 LED221/WW 166W 220-240V DM PSR	166 W
911401864198	BRP394 LED449/NW 316W 220-240V DM PSR	316 W
911401864398	BRP394 LED424/NW 300W 220-240V DM PSR	300 W
911401864698	BRP394 LED385/NW 268W 220-240V DM PSR	268 W
911401864898	BRP394 LED360/NW 251W 220-240V DM PSR	251 W
911401867998	BRP394 LED421/WW 316W 220-240V DM PSR	316 W
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	47 W
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	74 W
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	137 W
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	221 W

### Controls and Dimming

Order Code	Full Product Name	Dimmable
911401667506	BRP391 LED23/NW 16W DWP PSD P7 ANZ	Yes
911401667606	BRP391 LED36/NW 25W DWP3 PSD P7 ANZ	Yes
911401667706	BRP391 LED65/NW 46W DWV PSD P7 ANZ	Yes
911401667806	BRP391 LED104/NW 74W DWV PSD P7 ANZ	Yes
911401861398	BRP390 LED81/NW 57W 220-240V DM	No
911401861498	BRP390 LED74/NW 52W 220-240V DM	No
911401861598	BRP390 LED68/NW 48W 220-240V DM	No

Order Code	Full Product Name	Dimmable
911401861698	BRP390 LED62/NW 46W 220-240V DM	No
911401861798	BRP390 LED56/NW 41W 220-240V DM	No
911401861898	BRP390 LED50/NW 36W 220-240V DM	No
911401861998	BRP391 LED112/NW 80W 220-240V DM PSR	Yes
911401862098	BRP391 LED105/NW 75W 220-240V DM PSR	Yes
911401862198	BRP391 LED100/NW 70W 220-240V DM PSR	Yes
911401862298	BRP391 LED93/NW 67W 220-240V DM PSR	Yes

Order Code	Full Product Name	Dimmable
911401862398	BRP391 LED87/NW 63W 220-240V DM PSR	Yes
911401865198	BRP390 LED76/WW 57W 220-240V DM	No
911401865298	BRP390 LED70/WW 52W 220-240V DM	No
911401865398	BRP390 LED64/WW 48W 220-240V DM	No
911401865598	BRP390 LED52/WW 41W 220-240V DM	No
911401865698	BRP390 LED46/WW 36W 220-240V DM	No
911401865798	BRP391 LED105/WW 80W 220-240V DM PSR	Yes
911401865998	BRP391 LED93/WW 70W 220-240V DM PSR	Yes
911401866198	BRP391 LED81/WW 63W 220-240V DM PSR	Yes
911401862498	BRP392 LED224/NW 158W 220-240V DM PSR	Yes
911401862598	BRP392 LED212/NW 150W 220-240V DM PSR	Yes
911401862698	BRP392 LED200/NW 138W 220-240V DM PSR	Yes
911401862798	BRP392 LED186/NW 130W 220-240V DM PSR	Yes
911401862898	BRP392 LED174/NW 121W 220-240V DM PSR	Yes
911401862998	BRP392 LED161/NW 113W 220-240V DM PSR	Yes
911401863098	BRP392 LED150/NW 104W 220-240V DM PSR	Yes
911401863198	BRP392 LED136/NW 96W 220-240V DM PSR	Yes
911401863298	BRP392 LED124/NW 88W 220-240V DM PSR	Yes
911401863398	BRP393 LED323/NW 225W 220-240V DM PSR	Yes
911401863698	BRP393 LED286/NW 200W 220-240V DM PSR	Yes
911401863898	BRP393 LED261/NW 183W 220-240V DM PSR	Yes

Order Code	Full Product Name	Dimmable
911401863998	BRP393 LED248/NW 174W 220-240V DM PSR	Yes
911401864098	BRP393 LED236/NW 166W 220-240V DM PSR	Yes
911401866298	BRP392 LED210/WW 158W 220-240V DM PSR	Yes
911401866398	BRP392 LED200/WW 150W 220-240V DM PSR	Yes
911401866498	BRP392 LED186/WW 138W 220-240V DM PSR	Yes
911401866698	BRP392 LED163/WW 121W 220-240V DM PSR	Yes
911401866798	BRP392 LED151/WW 113W 220-240V DM PSR	Yes
911401866898	BRP392 LED140/WW 104W 220-240V DM PSR	Yes
911401866998	BRP392 LED128/WW 96W 220-240V DM PSR	Yes
911401867098	BRP392 LED116/WW 88W 220-240V DM PSR	Yes
911401867198	BRP393 LED303/WW 225W 220-240V DM PSR	Yes
911401867898	BRP393 LED221/WW 166W 220-240V DM PSR	Yes
911401864198	BRP394 LED449/NW 316W 220-240V DM PSR	Yes
911401864398	BRP394 LED424/NW 300W 220-240V DM PSR	Yes
911401864698	BRP394 LED385/NW 268W 220-240V DM PSR	Yes
911401864898	BRP394 LED360/NW 251W 220-240V DM PSR	Yes
911401867998	BRP394 LED421/WW 316W 220-240V DM PSR	Yes
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	Yes
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	Yes
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	Yes
911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	Yes

Application Conditions

Order Code	Full Product Name	Maximum dim level
911401667506	BRP391 LED23/NW 16W DWP PSD P7 ANZ	-
911401667606	BRP391 LED36/NW 25W DWP3 PSD P7 ANZ	-
911401667706	BRP391 LED65/NW 46W DWV PSD P7 ANZ	-
911401667806	BRP391 LED104/NW 74W DWV PSD P7 ANZ	-
911401861398	BRP390 LED81/NW 57W 220-240V DM	-
911401861498	BRP390 LED74/NW 52W 220-240V DM	-
911401861598	BRP390 LED68/NW 48W 220-240V DM	-
911401861698	BRP390 LED62/NW 46W 220-240V DM	-
911401861798	BRP390 LED56/NW 41W 220-240V DM	-
911401861898	BRP390 LED50/NW 36W 220-240V DM	-
911401861998	BRP391 LED112/NW 80W 220-240V DM PSR	10%
911401862098	BRP391 LED105/NW 75W 220-240V DM PSR	10%
911401862198	BRP391 LED100/NW 70W 220-240V DM PSR	10%
911401862298	BRP391 LED93/NW 67W 220-240V DM PSR	10%
911401862398	BRP391 LED87/NW 63W 220-240V DM PSR	10%
911401865198	BRP390 LED76/WW 57W 220-240V DM	-
911401865298	BRP390 LED70/WW 52W 220-240V DM	-
911401865398	BRP390 LED64/WW 48W 220-240V DM	-
911401865598	BRP390 LED52/WW 41W 220-240V DM	-
911401865698	BRP390 LED46/WW 36W 220-240V DM	-
911401865798	BRP391 LED105/WW 80W 220-240V DM PSR	10%
911401865998	BRP391 LED93/WW 70W 220-240V DM PSR	10%
911401866198	BRP391 LED81/WW 63W 220-240V DM PSR	10%
911401862498	BRP392 LED224/NW 158W 220-240V DM PSR	10%
911401862598	BRP392 LED212/NW 150W 220-240V DM PSR	10%
911401862698	BRP392 LED200/NW 138W 220-240V DM PSR	10%
911401862798	BRP392 LED186/NW 130W 220-240V DM PSR	10%

Order Code	Full Product Name	Maximum dim level
911401862898	BRP392 LED174/NW 121W 220-240V DM PSR	10%
911401862998	BRP392 LED161/NW 113W 220-240V DM PSR	10%
911401863098	BRP392 LED150/NW 104W 220-240V DM PSR	10%
911401863198	BRP392 LED136/NW 96W 220-240V DM PSR	10%
911401863298	BRP392 LED124/NW 88W 220-240V DM PSR	10%
911401863398	BRP393 LED323/NW 225W 220-240V DM PSR	10%
911401863698	BRP393 LED286/NW 200W 220-240V DM PSR	10%
911401863898	BRP393 LED261/NW 183W 220-240V DM PSR	10%
911401863998	BRP393 LED248/NW 174W 220-240V DM PSR	10%
911401864098	BRP393 LED236/NW 166W 220-240V DM PSR	10%
911401866298	BRP392 LED210/WW 158W 220-240V DM PSR	10%
911401866398	BRP392 LED200/WW 150W 220-240V DM PSR	10%
911401866498	BRP392 LED186/WW 138W 220-240V DM PSR	10%
911401866698	BRP392 LED163/WW 121W 220-240V DM PSR	10%
911401866798	BRP392 LED151/WW 113W 220-240V DM PSR	10%
911401866898	BRP392 LED140/WW 104W 220-240V DM PSR	10%
911401866998	BRP392 LED128/WW 96W 220-240V DM PSR	10%
911401867098	BRP392 LED116/WW 88W 220-240V DM PSR	10%
911401867198	BRP393 LED303/WW 225W 220-240V DM PSR	10%
911401867898	BRP393 LED221/WW 166W 220-240V DM PSR	10%
911401864198	BRP394 LED449/NW 316W 220-240V DM PSR	10%
911401864398	BRP394 LED424/NW 300W 220-240V DM PSR	10%
911401864698	BRP394 LED385/NW 268W 220-240V DM PSR	10%
911401864898	BRP394 LED360/NW 251W 220-240V DM PSR	10%
911401867998	BRP394 LED421/WW 316W 220-240V DM PSR	10%
911401603608	BRP391 LED73/NW 47W DWV P7T SRB SA LM6	-
911401603708	BRP391 LED107/NW 74W DWV P7T SRB SA LM6	-

Order Code	Full Product Name	Maximum dim level	Order Code	Full Product Name	Maximum dim level
911401603808	BRP392 LED201/NW 137W DWV P7T SRB SA LM6	-	911401603908	BRP393 LED305/NW 221W DWV P7T SRB SA LM6	-

