



# Sleek and elegant design combined with full flexibility helps to create better spaces

## SlimBalance

SlimBalance is a full range of product family with sleek and elegant design helps to create attractive and differentiated space for customers. The family covers different length (600mm, 1200mm, 1500mm), different end cap (round, square) and different light distribution (direct, indirect). Its office compliant version delivers comfortable light with good quality.

### Benefits

- Create attractive/differentiated space
- Complete solution covering different mounting requirements, lengths, end cap including corners
- Good light quality
- Office compliant, Comfortable light

### Features

- Sleek and elegant design
- Modular design offers uniform aesthetic for full family
- CRI > 80, SDCM < 4, Flicker free
- UGR 19 available

### Application


- Open office
- Cell office
- Public area
- Meeting rooms

# SlimBalance

## Warnings and Safety

- The product is IPX0 & as such is not protected against water ingress & as such we strongly recommend that the environment in which the luminaire is to be installed is suitably checked
- If the above advice is not taken and the luminaires are subject to water ingress, Philips / Signify cannot guarantee safe failure & product warranty will become void

## Versions



SlimBalance Standalone L120 L150

SlimBalance Standalone L60

SlimBalance Continuous

SlimBalance Standalone L120 L150

Application Conditions	
Ambient temperature range	-20 to +40 °C
Approval and Application	
Mech. impact protection code	IK03
Ingress protection code	IP20
Operating and Electrical	
Input Voltage	220/240 V
General Information	
Beam angle of light source	- °
CE mark	CE mark
Protection class IEC	Safety class I (I)
Driver included	Yes
ENEC mark	-
Flammability mark	NO
Glow-wire test	650/30
Light source replaceable	No
Number of gear units	1 unit
Optic type	WB
Initial Performance (IEC Compliant)	
Init. Color Rendering Index	>80
Luminous flux tolerance	+/-10%
Mechanical and Housing	
Color	Silver

## Application Conditions

Order Code	Full Product Name	Maximum dim level
911401519241	SP550P LED25S 840 L120 PSU SD	Not applicable
911401528241	SP550P LED25S 840 L120 PSU SD SQ	Not applicable
911401519441	SP550P LED12S 840 L60 PSU SD	Not applicable
911401522941	RC550B LED20S 840 L60 PSU SD GM	Not applicable
911401523941	SP551P LED20S 840 L60 PSU SD GM	Not applicable
911401530141	SP550P LED20S 840 L60 PSU SD GM SQ	Not applicable
911401530341	SP551P LED20S 840 L60 PSU SD GM SQ	Not applicable
911401533041	SP550P LED20S 840 L60 PSU SD GM	Not applicable
911401519641	SP550P LED25S 840 L120 PSU CD	Not applicable
911401519741	SP550P LED12S 840 L60 PSU CD	Not applicable
911401520341	RC550B LED25S 840 L120 PSU CD	Not applicable
911401520441	RC550B LED12S 840 L60 PSU CD	Not applicable
911401522641	SM550C LED20S 840 L60 PSU CD GM	Not applicable
911401523641	RC550B LED40S 840 L120 PSU CD GM	Not applicable
911401523741	RC550B LED40S 865 L120 PSU CD GM	Not applicable
911401524641	SP550P LED40S 840 L120 PSU CD GM	Not applicable
911401524741	SP550P LED40S 865 L120 PSU CD GM	Not applicable
911401524841	SP550P LED40S 840 L120 PSD CD GM	1%
911401524941	SP550P LED40S 865 L120 PSD CD GM	1%
911401525441	SM550C LED40S 840 L120 PSD CD GM	1%
911401522841	SM551C LED40S 840 L120 PSD SD GM	1%
911401523141	RC550B LED40S 840 L120 PSU SD GM	Not applicable
911401523241	RC550B LED40S 865 L120 PSU SD GM	Not applicable
911401524141	SP550P LED40S 840 L120 PSU SD GM	Not applicable
911401524241	SP550P LED40S 865 L120 PSU SD GM	Not applicable
911401524341	SP550P LED40S 840 L120 PSD SD GM	1%
911401524441	SP550P LED40S 865 L120 PSD SD GM	1%
911401524541	SP551P LED40S 840 L120 PSD SD GM	1%
911401525041	SP550P LED40S 840 L150 PSU SD GM	Not applicable

Order Code	Full Product Name	Maximum dim level
911401525141	SP550P LED40S 840 L150 PSD SD GM	1%
911401525241	SP551P LED45S 840 L120 PSU SI GM	Not applicable
911401525341	SP551P LED45S 840 L120 PSD SI GM	1%
911401525541	SM550C LED40S 840 L120 PSD SD GM	1%
911401530241	SP550P LED40S 840 L120 PSU SD GM SQ	Not applicable
911401530641	SP550P LED40S 865 L120 PSU SD GM SQ	Not applicable
911401530741	SP550P LED40S 840 L150 PSD SD GM SQ	1%
911401530841	SP551P LED45S 840 L120 PSD SI GM SQ	1%
911401530941	SP551P LED40S 840 L120 PSD SD GM SQ	1%
911401531041	SP550P LED40S 840 L150 PSU SD GM SQ	Not applicable
911401531241	SP551P LED45S 840 L120 PSU SI GM SQ	Not applicable
911401532841	SM551C LED40S 840 L120 PSD SD GM SQ	1%
911401532941	SM550C LED40S 840 L120 PSD SD GM SQ	1%

### Controls and Dimming

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
911401519241	SP550P LED25S 840 L120 PSU SD	No	911401523141	RC550B LED40S 840 L120 PSU SD GM	No
911401528241	SP550P LED25S 840 L120 PSU SD SQ	No	911401523241	RC550B LED40S 865 L120 PSU SD GM	No
911401519441	SP550P LED12S 840 L60 PSU SD	No	911401524141	SP550P LED40S 840 L120 PSU SD GM	No
911401522941	RC550B LED20S 840 L60 PSU SD GM	No	911401524241	SP550P LED40S 865 L120 PSU SD GM	No
911401523941	SP551P LED20S 840 L60 PSU SD GM	No	911401524341	SP550P LED40S 840 L120 PSD SD GM	Yes
911401530141	SP550P LED20S 840 L60 PSU SD GM SQ	No	911401524441	SP550P LED40S 865 L120 PSD SD GM	Yes
911401530341	SP551P LED20S 840 L60 PSU SD GM SQ	No	911401524541	SP551P LED40S 840 L120 PSD SD GM	Yes
911401533041	SP550P LED20S 840 L60 PSU SD GM	No	911401525041	SP550P LED40S 840 L150 PSU SD GM	No
911401519641	SP550P LED25S 840 L120 PSU CD	No	911401525141	SP550P LED40S 840 L150 PSD SD GM	Yes
911401519741	SP550P LED12S 840 L60 PSU CD	No	911401525241	SP551P LED45S 840 L120 PSU SI GM	No
911401520341	RC550B LED25S 840 L120 PSU CD	No	911401525341	SP551P LED45S 840 L120 PSD SI GM	Yes
911401520441	RC550B LED12S 840 L60 PSU CD	No	911401525541	SM550C LED40S 840 L120 PSD SD GM	Yes
911401522641	SM550C LED20S 840 L60 PSU CD GM	No	911401530241	SP550P LED40S 840 L120 PSU SD GM SQ	No
911401523641	RC550B LED40S 840 L120 PSU CD GM	No	911401530641	SP550P LED40S 865 L120 PSU SD GM SQ	No
911401523741	RC550B LED40S 865 L120 PSU CD GM	No	911401530741	SP550P LED40S 840 L150 PSD SD GM SQ	Yes
911401524641	SP550P LED40S 840 L120 PSU CD GM	No	911401530841	SP551P LED45S 840 L120 PSD SI GM SQ	Yes
911401524741	SP550P LED40S 865 L120 PSU CD GM	No	911401530941	SP551P LED40S 840 L120 PSD SD GM SQ	Yes
911401524841	SP550P LED40S 840 L120 PSD CD GM	Yes	911401531041	SP550P LED40S 840 L150 PSU SD GM SQ	No
911401524941	SP550P LED40S 865 L120 PSD CD GM	Yes	911401531241	SP551P LED45S 840 L120 PSU SI GM SQ	No
911401525441	SM550C LED40S 840 L120 PSD CD GM	Yes	911401532841	SM551C LED40S 840 L120 PSD SD GM SQ	Yes
911401522841	SM551C LED40S 840 L120 PSD SD GM	Yes	911401532941	SM550C LED40S 840 L120 PSD SD GM SQ	Yes

### General Information

Order Code	Full Product Name	Optical cover/lens type	Order Code	Full Product Name	Optical cover/lens type
911401519241	SP550P LED25S 840 L120 PSU SD	O	911401519741	SP550P LED12S 840 L60 PSU CD	O
911401528241	SP550P LED25S 840 L120 PSU SD SQ	O	911401520341	RC550B LED25S 840 L120 PSU CD	O
911401519441	SP550P LED12S 840 L60 PSU SD	O	911401520441	RC550B LED12S 840 L60 PSU CD	O
911401522941	RC550B LED20S 840 L60 PSU SD GM	O	911401522641	SM550C LED20S 840 L60 PSU CD GM	O
911401523941	SP551P LED20S 840 L60 PSU SD GM	LIN-PC	911401523641	RC550B LED40S 840 L120 PSU CD GM	O
911401530141	SP550P LED20S 840 L60 PSU SD GM SQ	O	911401523741	RC550B LED40S 865 L120 PSU CD GM	O
911401530341	SP551P LED20S 840 L60 PSU SD GM SQ	LIN-PC	911401524641	SP550P LED40S 840 L120 PSU CD GM	O
911401533041	SP550P LED20S 840 L60 PSU SD GM	O	911401524741	SP550P LED40S 865 L120 PSU CD GM	O
911401519641	SP550P LED25S 840 L120 PSU CD	O	911401524841	SP550P LED40S 840 L120 PSD CD GM	O

Order Code	Full Product Name	Optical cover/lens type
911401524941	SP550P LED40S 865 L120 PSD CD GM	O
911401525441	SM550C LED40S 840 L120 PSD CD GM	O
911401522841	SM551C LED40S 840 L120 PSD SD GM	LIN-PC
911401523141	RC550B LED40S 840 L120 PSU SD GM	O
911401523241	RC550B LED40S 865 L120 PSU SD GM	O
911401524141	SP550P LED40S 840 L120 PSU SD GM	O
911401524241	SP550P LED40S 865 L120 PSU SD GM	O
911401524341	SP550P LED40S 840 L120 PSD SD GM	O
911401524441	SP550P LED40S 865 L120 PSD SD GM	O
911401524541	SP551P LED40S 840 L120 PSD SD GM	LIN-PC
911401525041	SP550P LED40S 840 L150 PSU SD GM	O
911401525141	SP550P LED40S 840 L150 PSD SD GM	O

Order Code	Full Product Name	Optical cover/lens type
911401525241	SP551P LED45S 840 L120 PSU SI GM	LIN-PC
911401525341	SP551P LED45S 840 L120 PSD SI GM	LIN-PC
911401525541	SM550C LED40S 840 L120 PSD SD GM	O
911401530241	SP550P LED40S 840 L120 PSU SD GM SQ	O
911401530641	SP550P LED40S 865 L120 PSU SD GM SQ	O
911401530741	SP550P LED40S 840 L150 PSD SD GM SQ	O
911401530841	SP551P LED45S 840 L120 PSD SI GM SQ	LIN-PC
911401530941	SP551P LED40S 840 L120 PSD SD GM SQ	LIN-PC
911401531041	SP550P LED40S 840 L150 PSU SD GM SQ	O
911401531241	SP551P LED45S 840 L120 PSU SI GM SQ	LIN-PC
911401532841	SM551C LED40S 840 L120 PSD SD GM SQ	LIN-PC
911401532941	SM550C LED40S 840 L120 PSD SD GM SQ	O

Initial Performance (IEC Compliant) (1/2)

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401519241	SP550P LED25S 840 L120 PSU SD	(0.38, 0.38) SDCM< 3	4000 K	100 lm/W	2500 lm
911401528241	SP550P LED25S 840 L120 PSU SD SQ	(0.38, 0.38) SDCM< 3	4000 K	100 lm/W	2500 lm
911401519441	SP550P LED12S 840 L60 PSU SD	(0.38, 0.38) SDCM< 3	4000 K	89.29 lm/W	1250 lm
911401522941	RC550B LED20S 840 L60 PSU SD GM	(0.38, 0.38) SDCM< 3	4000 K	90.91 lm/W	2000 lm
911401523941	SP551P LED20S 840 L60 PSU SD GM	(0.38, 0.38) SDCM< 3	4000 K	111.11 lm/W	2000 lm
911401530141	SP550P LED20S 840 L60 PSU SD GM SQ	(0.38, 0.38) SDCM< 3	4000 K	90.91 lm/W	2000 lm
911401530341	SP551P LED20S 840 L60 PSU SD GM SQ	(0.38, 0.38) SDCM< 3	4000 K	111.11 lm/W	2000 lm
911401533041	SP550P LED20S 840 L60 PSU SD GM	(0.38, 0.38) SDCM< 3	4000 K	90.91 lm/W	2000 lm
911401519641	SP550P LED25S 840 L120 PSU CD	(0.38, 0.38) SDCM< 3	4000 K	100 lm/W	2500 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401519741	SP550P LED12S 840 L60 PSU CD	(0.38, 0.38) SDCM< 3	4000 K	89.29 lm/W	1250 lm
911401520341	RC550B LED25S 840 L120 PSU CD	(0.38, 0.38) SDCM< 3	4000 K	100 lm/W	2500 lm
911401520441	RC550B LED12S 840 L60 PSU CD	(0.38, 0.38) SDCM< 3	4000 K	89.29 lm/W	1250 lm
911401522641	SM550C LED20S 840 L60 PSU CD GM	(0.38, 0.38) SDCM< 3	4000 K	90.91 lm/W	2000 lm
911401523641	RC550B LED40S 840 L120 PSU CD GM	(0.38, 0.38) SDCM< 3	4000 K	97.56 lm/W	4000 lm
911401523741	RC550B LED40S 865 L120 PSU CD GM	(0.31, 0.33) SDCM< 3	6500 K	97.56 lm/W	4000 lm
911401524641	SP550P LED40S 840 L120 PSU CD GM	(0.38, 0.38) SDCM< 3	4000 K	97.56 lm/W	4000 lm
911401524741	SP550P LED40S 865 L120 PSU CD GM	(0.31, 0.33) SDCM< 3	6500 K	97.56 lm/W	4000 lm
911401524841	SP550P LED40S 840 L120 PSD CD GM	(0.38, 0.38) SDCM< 3	4000 K	97.56 lm/W	4000 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401524941	SP550P LED40S 865 L120 PSD CD GM	(0.31, 0.33) SDCM< 3	6500 K	97.56 lm/W	4000 lm
911401525441	SM550C LED40S 840 L120 PSD CD GM	(0.38, 0.38) SDCM< 3	4000 K	97.56 lm/W	4000 lm
911401522841	SM551C LED40S 840 L120 PSD SD GM	(0.38, 0.38) SDCM< 3	4000 K	117.65 lm/W	4000 lm
911401523141	RC550B LED40S 840 L120 PSU SD GM	(0.38, 0.38) SDCM< 3	4000 K	97.56 lm/W	4000 lm
911401523241	RC550B LED40S 865 L120 PSU SD GM	(0.31, 0.33) SDCM< 3	6500 K	97.56 lm/W	4000 lm
911401524141	SP550P LED40S 840 L120 PSU SD GM	(0.38, 0.38) SDCM< 3	4000 K	97.56 lm/W	4000 lm
911401524241	SP550P LED40S 865 L120 PSU SD GM	(0.31, 0.33) SDCM< 3	6500 K	97.56 lm/W	4000 lm
911401524341	SP550P LED40S 840 L120 PSD SD GM	(0.38, 0.38) SDCM< 3	4000 K	97.56 lm/W	4000 lm
911401524441	SP550P LED40S 865 L120 PSD SD GM	(0.31, 0.33) SDCM< 3	6500 K	97.56 lm/W	4000 lm
911401524541	SP551P LED40S 840 L120 PSD SD GM	(0.38, 0.38) SDCM< 3	4000 K	117.65 lm/W	4000 lm
911401525041	SP550P LED40S 840 L150 PSU SD GM	(0.38, 0.38) SDCM< 3	4000 K	100 lm/W	4000 lm
911401525141	SP550P LED40S 840 L150 PSD SD GM	(0.38, 0.38) SDCM< 3	4000 K	100 lm/W	4000 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401525241	SP551P LED45S 840 L120 PSU SI GM	(0.38, 0.38) SDCM< 3 ( uplight< 4 )	4000 K	125 lm/W	4500 lm
911401525341	SP551P LED45S 840 L120 PSD SI GM	(0.38, 0.38) SDCM< 3 ( uplight< 4 )	4000 K	125 lm/W	4500 lm
911401525541	SM550C LED40S 840 L120 PSD SD GM	(0.38, 0.38) SDCM< 3	4000 K	97.56 lm/W	4000 lm
911401530241	SP550P LED40S 840 L120 PSU SD GM SQ	(0.38, 0.38) SDCM< 3	4000 K	97.56 lm/W	4000 lm
911401530641	SP550P LED40S 865 L120 PSU SD GM SQ	(0.31, 0.33) SDCM< 3	6500 K	97.56 lm/W	4000 lm
911401530741	SP550P LED40S 840 L150 PSD SD GM SQ	(0.38, 0.38) SDCM< 3	4000 K	100 lm/W	4000 lm
911401530841	SP551P LED45S 840 L120 PSD SI GM SQ	(0.38, 0.38) SDCM< 3 ( uplight< 4 )	4000 K	125 lm/W	4500 lm
911401530941	SP551P LED40S 840 L120 PSD SD GM SQ	(0.38, 0.38) SDCM< 3	4000 K	117.65 lm/W	4000 lm
911401531041	SP550P LED40S 840 L150 PSU SD GM SQ	(0.38, 0.38) SDCM< 3	4000 K	100 lm/W	4000 lm
911401531241	SP551P LED45S 840 L120 PSU SI GM SQ	(0.38, 0.38) SDCM< 3 ( uplight< 4 )	4000 K	125 lm/W	4500 lm
911401532841	SM551C LED40S 840 L120 PSD SD GM SQ	(0.38, 0.38) SDCM< 3	4000 K	117.65 lm/W	4000 lm
911401532941	SM550C LED40S 840 L120 PSD SD GM SQ	(0.38, 0.38) SDCM< 3	4000 K	97.56 lm/W	4000 lm

## Initial Performance (IEC Compliant) (2/2)

Order Code	Full Product Name	Initial input power
911401519241	SP550P LED25S 840 L120 PSU SD	25 W
911401528241	SP550P LED25S 840 L120 PSU SD SQ	25 W
911401519441	SP550P LED12S 840 L60 PSU SD	14 W
911401522941	RC550B LED20S 840 L60 PSU SD GM	22 W
911401523941	SP551P LED20S 840 L60 PSU SD GM	18 W
911401530141	SP550P LED20S 840 L60 PSU SD GM SQ	22 W
911401530341	SP551P LED20S 840 L60 PSU SD GM SQ	18 W
911401533041	SP550P LED20S 840 L60 PSU SD GM	22 W
911401519641	SP550P LED25S 840 L120 PSU CD	25 W
911401519741	SP550P LED12S 840 L60 PSU CD	14 W
911401520341	RC550B LED25S 840 L120 PSU CD	25 W
911401520441	RC550B LED12S 840 L60 PSU CD	14 W
911401522641	SM550C LED20S 840 L60 PSU CD GM	22 W
911401523641	RC550B LED40S 840 L120 PSU CD GM	41 W
911401523741	RC550B LED40S 865 L120 PSU CD GM	41 W
911401524641	SP550P LED40S 840 L120 PSU CD GM	41 W
911401524741	SP550P LED40S 865 L120 PSU CD GM	41 W
911401524841	SP550P LED40S 840 L120 PSD CD GM	41 W
911401524941	SP550P LED40S 865 L120 PSD CD GM	41 W
911401525441	SM550C LED40S 840 L120 PSD CD GM	41 W
911401522841	SM551C LED40S 840 L120 PSD SD GM	34 W

Order Code	Full Product Name	Initial input power
911401523141	RC550B LED40S 840 L120 PSU SD GM	41 W
911401523241	RC550B LED40S 865 L120 PSU SD GM	41 W
911401524141	SP550P LED40S 840 L120 PSU SD GM	41 W
911401524241	SP550P LED40S 865 L120 PSU SD GM	41 W
911401524341	SP550P LED40S 840 L120 PSD SD GM	41 W
911401524441	SP550P LED40S 865 L120 PSD SD GM	41 W
911401524541	SP551P LED40S 840 L120 PSD SD GM	34 W
911401525041	SP550P LED40S 840 L150 PSU SD GM	40 W
911401525141	SP550P LED40S 840 L150 PSD SD GM	40 W
911401525241	SP551P LED45S 840 L120 PSU SI GM	36 W
911401525341	SP551P LED45S 840 L120 PSD SI GM	36 W
911401525541	SM550C LED40S 840 L120 PSD SD GM	41 W
911401530241	SP550P LED40S 840 L120 PSU SD GM SQ	41 W
911401530641	SP550P LED40S 865 L120 PSU SD GM SQ	41 W
911401530741	SP550P LED40S 840 L150 PSD SD GM SQ	40 W
911401530841	SP551P LED45S 840 L120 PSD SI GM SQ	36 W
911401530941	SP551P LED40S 840 L120 PSD SD GM SQ	34 W
911401531041	SP550P LED40S 840 L150 PSU SD GM SQ	40 W
911401531241	SP551P LED45S 840 L120 PSU SI GM SQ	36 W
911401532841	SM551C LED40S 840 L120 PSD SD GM SQ	34 W
911401532941	SM550C LED40S 840 L120 PSD SD GM SQ	41 W

