



Essential LEDtube

CorePro LEDtube 1200mm 16W840 G5 I APR

Essential LEDtube is an affordable LED tube that is suitable for replacing T8 fluorescent lamps. The product provides a natural lighting effect for use in general lighting applications, as well as instant energy savings – an environmentally friendly solution.

Product data


General Information		Warm Up Time to 60% Light (Nom)	
Cap-Base	G5 [G5]		0.5 s
EU RoHS compliant	Yes	Power Factor (Nom)	0.92
Nominal Lifetime (Nom)	30000 h	Voltage (Nom)	100-240 V
Switching Cycle	50000X		
Light Technical		Temperature	
Color Code	841 [CCT of 4100K (841)]	T-Ambient (Max)	45 °C
Beam Angle (Nom)	200 °	T-Ambient (Min)	-20 °C
Luminous Flux (Nom)	2100 lm	T-Storage (Max)	65 °C
Color Designation	Cool White (CW)	T-Storage (Min)	-40 °C
Correlated Color Temperature (Nom)	4000 K	T-Case Maximum (Nom)	70 °C
Luminous Efficacy (rated) (Nom)	131.00 lm/W		
Color Consistency	<6	Controls and Dimming	
Color Rendering Index (Nom)	80	Dimmable	No
LLMF At End Of Nominal Lifetime (Nom)	70 %		
Operating and Electrical		Mechanical and Housing	
Input Frequency	50 to 60 Hz	Product Length	1200 mm
Power (Rated) (Nom)	16 W		
Lamp Current (Max)	178 mA	Approval and Application	
Lamp Current (Min)	77 mA	Energy Efficiency Label (EEL)	A++
Starting Time (Nom)	0.5 s	Energy Saving Product	Yes
		Approval Marks	CE marking RoHS compliance KEMA Keur certificate

Essential LEDtube

Energy Consumption kWh/1000 h	16 kWh
Product Data	
Full product code	871869673204500
Order product name	CorePro LEDtube 1200mm 16W840 G5 I APR
EAN/UPC - Product	8718696732045
Order code	929001381008

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	20
Material Nr. (12NC)	929001381008
Net Weight (Piece)	0.160 kg


Dimensional drawing




TLED 1200mm 100-240V 16-28W 4000K

Product	D1	D2	A1	A2	A3
CorePro LEDtube 1200mm 16W840 G5 I APR	15.8 mm	19 mm	1149 mm	1156.1 mm	1163.2 mm


Photometric data



ESSENTIAL LEDtube 16W G5 840 APR





ESSENTIAL LEDtube 16W G5 840 APR



ESSENTIAL LEDtube 16W G5 840 APR



Essential LEDtube

Lifetime




ESSENTIAL LEDtube 8-16W G5 830-865 APR

ESSENTIAL LEDtube 8-16W G5 830-865 APR



ESSENTIAL LEDtube 8-16W G5 830-865 APR

ESSENTIAL LEDtube 8-16W G5 830-865 APR



ESSENTIAL LEDtube 16W G5 830-865 APR

Essential LEDtube

